



## JOURNAL ARTICLES FROM 2013 - SUPPLEMENT February 2014

Welcome to an additional supplement from the Technology Strategy Board (TSB) Knowledge Transfer Network and the Telecare Learning and Improvement Network.

This supplement covers journal articles and studies listed over the last 12 months in the Telecare LIN newsletter or links supplement. They are in Alphabetical order. As this supplement is in doc/pdf formats, you can search for keywords using a menu feature or keyboard shortcut (eg 'Control -f' on Windows). You can also copy the list into Excel for more detailed searches.

["There's no cure for this condition": How physicians discuss advance care planning in heart failure](#)

[A Comparison of Care at E-visits and Physician Office Visits for Sinusitis and Urinary Tract Infection](#)

[A Comparison of Energy Expenditure Estimation of Several Physical Activity Monitors](#)

[A Content Analysis of Popular Smartphone Apps for Smoking Cessation](#)

[A cost-utility analysis of lung cancer](#)

[A critical review of the use of telephone tests to identify cognitive impairment in epidemiology and clinical research](#)

[A Decision Support Model for Prescribing Internal Cardiac Defibrillators](#)

[A feasibility study of a telephone-based screening service for mild cognitive impairment and its uptake by elderly people](#)

[A global clinical measure of fitness and frailty in elderly people](#)

[A holistic framework to improve the uptake and impact of eHealth technologies](#)

[A Home Telehealth Heart Failure Management Program for Veterans Through Care Transitions](#)

[A home telehealth program for patients with severe COPD: The PROMETE study](#)

[A Lot of Action, But Not in the Right Direction: Systematic Review and Content Analysis of Smartphone Applications for the Prevention, Detection, and Management of Cancer](#)

[A meta-analysis of remote patient monitoring for chronic heart failure patients](#)

[A Meta-Analysis of Web-Delivered Tailored Health Behavior Change Interventions](#)

[A Method for the Design and Development of Medical or Health Care Information Websites to Optimize Search Engine Results Page Rankings on Google](#)

[A mHealth cardiac rehabilitation exercise intervention: findings from content development studies](#)

[A Multi-center Study of ICU Telemedicine Reengineering of Adult Critical Care](#)

[A National Action Plan To Support Consumer Engagement Via E-He](#)

[A passive positioning alarm used by persons with dementia and their spouses - a qualitative intervention study](#)

[A personalized medical journal is a great idea for an app but Read needs further refinement](#)

[A pharmacist-managed telemedicine clinic for hepatitis C care: a descriptive analysis](#)

[A pilot randomized controlled trial of a depression and disease management program delivered by phone](#)

[A Pilot Study Evaluating Daily Physical Activity Before and After Cardiac Resynchronization Therapy](#)

[A pilot study of a novel home telemonitoring system for oncology patients receiving chemotherapy](#)

[A pilot study of a telehealth intervention for persons with spinal cord dysfunction](#)

[A pilot study of a tool to stimulate physical activity in patients with COPD or type 2 diabetes in primary care](#)

[A pilot study of the effectiveness of home teleconsultations in paediatric palliative care](#)

[A pilot test of a tailored mobile and web-based diabetes messaging system for adolescents](#)

[A pilot test of videoconferencing to improve access to a stroke risk-reduction programme for Veterans](#)

[A pilot trial of a speech pathology telehealth service for head and neck cancer patients](#)

[A pilot trial of the iPad tablet computer as a portable device for visual acuity testing](#)

[A plastic surgeon's guide to applying smartphone technology in patient care](#)

[A Prospective Study of Nighttime Vital Sign Monitoring Frequency and Risk of Clinical Deterioration](#)

[A randomised controlled trial of an SMS-based mobile epilepsy education system](#)

[A randomised trial of telemedicine-based treatment versus conventional hospitalisation in patients with severe COPD and exacerbation](#)

[A randomized clinical trial of a nurse telephone follow-up on paediatric tonsillectomy pain management and complications](#)

[A randomized clinical trial of a web-based tobacco cessation education program](#)

[A randomized clinical trial of the Health Evaluation and Referral Assistant \(HERA\): Research methods](#)

[A randomized controlled clinical trial of pacemaker follow-up in clinic and by telemedical interpretation of the pacemakers' magnet mode](#)

[A randomized controlled study about the use of eHealth in the home health care of premature infants](#)

[A randomized study of telephonic care support in populations at risk for musculoskeletal preference-sensitive surgeries](#)

[A Randomized Trial of Telemonitoring and Self-Care Education in Heart Failure Patients Following Home Care Discharge](#)

[A randomized trial of telephone-based motivational interviewing for adolescent chronic headache with medication overuse](#)

[A Randomized Trial of Weekly Symptom Telemonitoring in Advanced Lung Cancer](#)

[A Review of 25 Years of CSCW Research in Healthcare: Contributions, Challenges and Future Agendas](#)

[A review on mHealth research in developing countries](#)

[A smartphone-supported weight loss program: design of the ENGAGED randomized controlled trial](#)

[A systematic review of evidence on the association between hospitalisation for chronic disease related ambulatory care sensitive conditions and primary health care resourcing](#)

[A systematic review of evidence on the links between patient experience and clinical safety and effectiveness](#)

[A Systematic Review of Healthcare Applications for Smartphones](#)

[A systematic review of interventions to enhance access to best practice primary health care for chronic disease management, prevention and episodic care](#)

[A systematic review of telemedicine services for residents in long term care facilities](#)

[A tailored, interactive health communication application for patients with type 2 diabetes: study protocol of a randomised controlled trial](#)

[A telehealth service model for the treatment of hypertension](#)

[A telehealth system for Parkinson's disease remote monitoring. The PERFORM approach](#)

[A Telemedicine Cloud Solution Using Peer-to-Peer Connections with a Telephonic Stethoscope](#)

[A telephonic-based trial to reduce depressive symptoms among Latina breast cancer survivors](#)

[A telerehabilitation intervention for patients with Chronic Obstructive Pulmonary Disease: a randomized controlled pilot trial](#)

[A text message a day keeps the asthma attack away](#)

[A videophone psychosocial intervention for dementia caregivers](#)

[About half of the states are implementing patient-centered medical homes for their Medicaid populations](#)

[Acceptability of NHS 111 the telephone service for urgent health care: cross sectional postal survey of users' views](#)

[Acceptability of Smartphone Application-Based HIV Prevention Among Young Men Who Have Sex With Men](#)

[Acceptability of Telemedicine and Other Cancer Genetic Counseling Models of Service Delivery in Geographically Remote Settings](#)

[Access : Effect of a home telecare program on oral health among adults with tetraplegia: a pilot study : Spinal Cord](#)

[Access to chronic disease care in general practice: the acceptability of implementing systematic waiting-room screening using computer-based patient-reported risk status](#)

[Accessibility from the patient perspective: comparison of primary healthcare evaluation instruments](#)

[Accountable to whom, for what? An exploration of the early development of Clinical Commissioning Groups in the English NHS](#)

[Accuracy of Electronically Reported Meaningful Use<sup>®</sup> Clinical Quality Measures: A Cross-sectional Study](#)

[Achievement of Goals in U.S. Diabetes Care](#)

[Advocacy of home telehealth care among consumers with chronic conditions](#)

[Agreement Between Telerehabilitation and Face-to-Face Clinical Outcome Assessments for Low Back Pain in Primary Care](#)

[All in this together: the corporate capture of public health](#)

[Alternative models of cardiac rehabilitation: a systematic review](#)

[Ambulatory oncology nurses making the right call: assessment and education in telephone triage practices](#)

[American Public Health Association - A Situated Practice of Ethics for Participatory Visual and Digital Methods in Public Health Research and Practice: A Focus on Digital Storytelling](#)

[American Public Health Association - Behavioral Adaptation and Late-Life Disability: A New Spectrum for Assessing Public Health Impacts](#)

[American Telemedicine Association Announces Insurance Brokerage Partnership with HUB Healthcare Solutions](#)

[An efficient and provably-secure certificateless public key encryption scheme for telecare medicine information systems](#)

[An evaluation of a self-management package for people with diabetes at risk of chronic kidney disease](#)

[An evaluation of a web-based diabetes education program designed to enhance self-management among patients living with diabetes](#)

[An internet-based intervention to promote mental fitness for mildly depressed adults: randomized controlled trial](#)

[An intervention to improve adherence and management of symptoms for patients prescribed oral chemotherapy agents: an exploratory study.](#)

[An open trial of self-help behaviours of clients with eating disorders in an online programme](#)

[An organisational analysis of the implementation of telecare and telehealth: the whole systems demonstrator](#)

[Annals of Internal Medicine A Tale of Two Angels](#)

[Annals of Internal Medicine Personalized Estimates of Benefit From Preventive Care Guidelines: A Proof of Concept](#)

[Annals of Internal Medicine Self-Measured Blood Pressure Monitoring in the Management of Hypertension: A Systematic Review and Meta-analysis](#)

[App'd to Fail: Mobile Health Treatments Fall Short in First Full Checkup: Scientific American](#)

[Approaches to the Prevention and Management of Childhood Obesity: The Role of Social Networks and the Use of Social Media and Related Electronic Technologies](#)

[Apps and online resources for young people with diabetes: The facts](#)

[Are doctors the structural weakness in the e-health building?](#)

[Artificial intelligence framework for simulating clinical decision-making: A Markov decision process approach](#)

[Artificial Intelligence in Medicine - Aggregating evidence about the positive and negative effects of treatments](#)

[Ask-Advise-Connect - A New Approach to Smoking Treatment Delivery in Health Care Settings](#)

[Assessing adolescent asthma symptoms and adherence using mobile phones](#)

[Assessing research impact in academic clinical medicine: a study using Research Excellence Framework pilot impact indicators](#)

[Assessing the Potential of E-mail for Communicating Drug Therapy Recommendations to Physicians in Patients With Heart Failure and Ventricular-Assist Devices](#)

[Assessment of Barriers to Improve Diabetes Management in Older Adults](#)

[Assessment of the Health IT Usability Evaluation Model \(Health-ITUEM\) for evaluating mobile health \(mHealth\) technology](#)

[Association between depression and maintenance medication adherence among Medicare beneficiaries with chronic obstructive pulmonary disease](#)

[Association of Comorbidities With Home Care Service Utilization of Patients With Heart Failure While Receiving Telehealth](#)

[Association of Psychosocial Factors and Heart Rate Variability in Heart Failure Patients](#)

[Association of systolic and diastolic blood pressure and all cause mortality in people with newly diagnosed type 2 diabetes: retrospective cohort study BMJ](#)

[Atrial fibrillation and the risk of myocardial infarction](#)

[Atrial fibrillation as a risk factor for cognitive impairment: a semi-systematic review](#)

[Attitudes toward Web application supporting pharmacist-clinician comanagement of postexposure prophylaxis patients](#)

[Attrition of Canadian Internet pharmacy websites: what are the implications?](#)

[Avoidable Hospitalizations in Older Adults](#)

[Bad medicine: the way we manage diabetes](#)

[Being 'rational' and being 'human': How National Health Service rationing decisions are constructed as rational by resource allocation panels](#)

[Beyond Virtual Inclusion - Communications Inclusion and Digital Divisions](#)

[Blood Pressure Control in a Hypertension Telemedicine Intervention: Does Distance to Primary Care Matter?](#)

[Blood pressure, smoking and alcohol: The health risks with the biggest global burden](#)

[BMC Endocrine Disorders Autonomous exercise game use improves metabolic control and quality of life in type 2 diabetes patients - a randomized controlled trial](#)

[BMC Family Practice Full text Unlocking information for coordination of care in Australia: a qualitative study of information continuity in four primary health care models](#)

[BMC Palliative Care Full text Feedback on end-of-life care in dementia: the study protocol of the FOLlow-up project](#)

[BMC Palliative Care Full text Novel open-source electronic medical records system for palliative care in low-resource settings](#)

[BMJ Group blogs: Computer-based Type 2 Diabetes self-management](#)

[BMJ Group blogs: The real world versus lifestyle change trials in diabetes](#)

[BMJ investigation finds GPs being forced to ration access to hospital care](#)

[Breathlessness and Skeletal Muscle Weak - PubMed Mobile](#)

[Bridging Organizational Divides in Health Care: An Ecological View of Health Information Exchange](#)

[But obviously not for me: robots, laboratories and the defiant identity of elder test users](#)

[California will test new health-care model](#)

[Can a call service provide the same level of care as a hospital?](#)

[Can a multi-factorial assessment and interventional programme decrease inpatient falls in an elderly care ward?](#)

[Can a Website-Delivered Computer-Tailored Physical Activity Intervention Be Acceptable, Usable, and Effective for Older People?](#)

[Can England's NHS Survive?](#)

[Can individualized weight monitoring using the HeartPhone algorithm improve sensitivity for clinical deterioration of heart failure?](#)

[Can mobile phones help control neglected tropical diseases? Experiences from Tanzania](#)

[Can mobile technology improve response times of junior doctors to urgent out-of-hours calls? A prospective observational study](#)

[Can technology change the work of nurses? Evaluation of a drug monitoring system for ambulatory chronic disease patients](#)

[Can Telemedicine End the “Neurologist Gap” in Parkinson's Disease?](#)

[Cancer survival in Europe 1999–2007 by country and age: results of EURO CARE-5—a population-based study](#)

[Cardiac Rehabilitation: BEGINNING AT THE BEDSIDE](#)

[Cardiac resynchronization therapy: an update](#)

[Cardiovascular Effects of Intensive Lifestyle Intervention in Type 2 Diabetes](#)

[Care and support reform implementation - Local Government Association](#)

[Care left undone' during nursing shifts: associations with workload and perceived quality of care](#)

[Cascading behaviour in complex socio-technical networks](#)

[Case finding for chronic obstructive pulmonary disease in primary care: a pilot randomised controlled trial](#)

[Changes in blood pressure in patients with hypertension in the context of delegated GP-home visits: a prospective implementation study](#)

[Changing color of antiepileptic pills raises risk of patients' non-adherence, study shows](#)

[Chronic care infrastructures and the home](#)

[Chronic disease, prevention policy, and the future of public health and primary care](#)

[Cisco Systems and Stanford Hospital bring back house calls with telemedicine](#)

[Clinical course outcomes for store and forward teledermatology versus conventional consultation: a randomized trial](#)

[Clinical Psychology Review - Impact of support on the effectiveness of written cognitive behavioural self-help: A systematic review and meta-analysis of randomised controlled trials](#)

[Clinical usefulness and cost effectiveness of home blood pressure telemonitoring: meta-analysis of randomized controlled studies](#)

[Clinical utility of the chronic obstructive pulmonary disease knowledge questionnaire](#)

[Cochrane review finds no proved benefit in drug treatment for patients with mild hypertension](#)

[Code Blue for Paper and the Death of the Medical Journal](#)

[Cognitive dysfunction and self-care decision making in chronic heart failure: A review of the literature](#)

[Cognitive function and self-care management in older patients with heart failure](#)

[Collaborative Practice Improvement for Childhood Obesity in Rural Clinics: The Healthy Eating Active Living Telehealth Community of Practice](#)

[Collecting Maternal Health Information From HIV-Positive Pregnant Women Using Mobile Phone-Assisted Face-to-Face Interviews in Southern Africa](#)

[Combined Heart Rate- and Accelerometer-Assessed Physical Activity Energy Expenditure and Associations With Glucose Homeostasis Markers in a Population at High Risk of Developing Diabetes: The ADDITION-PRO Study](#)

[Communities of place and communities of interest? An exploration of their changing role in later life](#)

[Community-based intervention to improve dietary habits and promote physical activity among older adults: a cluster randomized trial](#)

[Comparison of prothrombin time \(INR\) results and main characteristics of patients on warfarin treatment in primary health care centers and anticoagulation clinics](#)

[Comparison of the information provided by electronic health records data and a population health survey to estimate prevalence of selected health conditions and multimorbidity](#)

[Comparison of traditional versus mobile app self-monitoring of physical activity and dietary intake among overweight adults participating in an mHealth weight loss program](#)

[Complexity of management and health outcomes in a prospective cohort study of 573 heart failure patients in Australia: does more equal less?](#)

[Computer templates in chronic disease management: ethnographic case study in general practice](#)

[Computer-based diabetes self-management interventions for adults with type 2 diabetes mellitus - The Cochrane Library](#)

[Computer-generated reminders delivered on paper to healthcare professionals; effects on professional practice and health care outcomes - The Cochrane Library](#)

[Computers in Human Behavior - Intercultural differences in responses to health messages on social media from spokespeople with varying levels of ethnic identity](#)

[Connecting with patients and instilling realism in an era of emerging communication possibilities: A review on palliative care communication heading to telecare practice](#)

[Coping and health-related quality of life in individuals with heart failure: An integrative review](#)

[Cost effectiveness of a computer-delivered intervention to improve HIV medication adherence](#)

[Cost effectiveness of telehealth for patients with long term conditions \(Whole Systems Demonstrator telehealth questionnaire study\): nested economic evaluation in a pragmatic, cluster randomised controlled trial BMJ](#)

[Cost effectiveness of telehealth in the management of chronic conditions](#)

[Cost of behavioral interventions utilizing electronic drug monitoring for antiretroviral therapy adherence](#)

[Cost of poor adherence to anti-hypertensive therapy in five European countries](#)

[Cost-effectiveness analysis of telemonitoring versus usual care in patients with heart failure: the TEHAF-study](#)

[Cost-effectiveness of a coronary heart disease secondary prevention program in patients with myocardial infarction: results from a randomised controlled trial \(ProActive Heart\)](#)

[Cost-Utility Analysis of the EVOLVO Study on Remote Monitoring for Heart Failure Patients With Implantable Defibrillators: Randomized Controlled Trial](#)

[Country actions to meet UN commitments on non-communicable diseases: a stepwise approach](#)

[Critical care paramedics: where is the evidence? a systematic review](#)

[Critical care patients have major health and financial problems 12 months after discharge, finds study](#)

[Culture and behaviour in the English National Health Service: overview of lessons from a large multimethod study](#)

[Current mHealth Technologies for Physical Activity Assessment and Promotion](#)

[Cyberhealth serving to support individual intake of medication](#)

[David Lock: A new and very different type of NHS in England](#)

[Decision Support for Hospital Bed Management Using Adaptable Individual Length of Stay Estimations and Shared Resources](#)

[Defining and Incorporating Basic Nursing Care Actions Into the Electronic Health Record](#)

[Definition of Health 2.0 and Medicine 2.0: A Systematic Review](#)

[Delivery of Evidence-Based Psychotherapy via Video Telehealth](#)

[Dementia costs top those for heart disease or cancer, study finds](#)

[Deployment of assistive living technology in a nursing home environment: methods and lessons learned](#)

[Depressive disorder in the last phase of life in patients with cardiovascular disease, cancer, and COPD: data from a 20-year follow-up period in general practice](#)

[Derivation and validation of QStroke score for predicting risk of ischaemic stroke in primary care and comparison with other risk scores: a prospective open cohort study](#) [BMJ](#)

[Design and pilot results of a mobile phone weight-loss application for women starting a meal replacement programme](#)

[Designing a theory- and evidence-based tailored eHealth rehabilitation aftercare program in Germany and the Netherlands: study protocol](#)

[Designing and Implementing an Innovative SMS-based alert system \(RapidSMS-MCH\) to monitor pregnancy and reduce maternal and child deaths in Rwanda](#)

[Developing an Online Health Intervention for Young Gay and Bisexual Men](#)

[Development and Testing of a Short Form of the Patient Activation Measure](#)

[Development of a 5 year life expectancy index in older adults using predictive mining of electronic health record data](#)

[Development of a patient-centred care pathway across healthcare providers: a qualitative study](#)

[Development of a Screening and Brief Intervention and Referral for Treatment for ED Patients at Risk for Undiagnosed Hypertension: A Qualitative Study](#)

[Development of a web-based intervention for the indicated prevention of depression](#)

[Development tool for health and wellbeing boards launched](#)

[Diabetes and risk of physical disability in adults: a systematic review and meta-analysis](#)

[Diabetes Clinic at a Distance: Telemedicine Bridges the Gap](#)

[Diabetes control in older people](#)

[Diabetes in Older Adults: A Consensus Report](#)

[Diabetes Self-Management Smartphone Application for Adults With Type 1 Diabetes: Randomized Controlled Trial](#)

[Diabetes self-management support using mHealth and enhanced informal caregiving](#)

[Diabetes Telehealth in the 21st Century: Log In to the Future of Medicine](#)

[Diagnostic Inaccuracy of Smartphone Applications for Melanoma Detection](#)

[Diet and physical activity in the self-management of type 2 diabetes: barriers and facilitators identified by patients and health professionals](#)

[Differences in the use and appreciation of a web-based or printed computer-tailored physical activity intervention for people aged over 50 years](#)

[Digital Agenda Europe - Journal on mHealth available](#)

[Digital technology use among disadvantaged Australians: implications for equitable consumer participation in digitally-mediated communication and information exchange with health services](#)

[Discretion or discretions? Delineating professional discretion: The case of English medical practice](#)

[Do medical doctors respond to economic incentives?](#)

[Do Patients Like Good Care?](#)

[Does loneliness mediate the relation between social support and cognitive functioning in later life?](#)

[Does Providing Prescription Information or Services Improve Medication Adherence Among Patients Discharged From the Emergency Department? A Randomized Controlled Trial](#)

[Does telecare prolong community living in dementia? a study protocol for a pragmatic, randomised controlled trial](#)

[Does telemonitoring in heart failure empower patients for self-care? A qualitative study](#)

[Domesticating and democratizing science: A geography of do-it-yourself biology](#)

[Earlier Age of Dementia Onset and Shorter Survival Times in Dementia Patients With Diabetes](#)

[Early Results of the Meaningful Use Program for Electronic Health Records](#)

[Easy-to-use online referral test detects most patients with a high familial risk of colorectal cancer](#)

[eDiagnostics: a promising step towards primary mental health care](#)

[Educational and motivational support service: a pilot study for mobile-phone-based interventions in patients with psoriasis](#)

[Educational benefits of Internet and computer-based programmes for prostate cancer patients: A systematic review](#)

[Effect of a lifestyle therapy program using cardiac rehabilitation resources on metabolic syndrome components](#)

[Effect of barcode technology with electronic medication administration record on medication accuracy rates](#)

[Effect of continuous glucose monitoring on hypoglycemia in type 1 diabetes](#)

[Effect of Home Blood Pressure Telemonitoring and Pharmacist Management on Blood Pressure Control: A Cluster Randomized Clinical Trial](#)

[Effect of Patient Activation on Self-Management in Patients With Heart Failure](#)

[Effect of Psychosocial Interventions on Quality of Life in Patients With Chronic Heart Failure: A Meta-analysis of Randomized Controlled Trials](#)

[Effect of Store and Forward Teledermatology on Quality of Life: A Randomized Controlled Trial](#)

[Effect of telecare on use of health and social care services: findings from the Whole Systems Demonstrator cluster randomised trial](#)

[Effect of telephone health coaching \(Birmingham OwnHealth\) on hospital use and associated costs: cohort study with matched controls](#)

[Effect of telephone health coaching \(Birmingham OwnHealth\) on hospital use and associated costs: cohort study with matched controls BMJ](#)

[Effectiveness of a national cardiovascular disease risk assessment program \(NHS Health Check\)](#)

[Effectiveness of a web-based physical activity intervention for adults with Type 2 diabetes-A randomised controlled trial](#)

[Effectiveness of a web-based physical activity intervention in patients with knee and/or hip osteoarthritis: randomized controlled trial](#)

[Effectiveness of a Website and Telemonitoring in Patients With Heart Failure. - Full Text View - ClinicalTrials.gov](#)

[Effectiveness of an e-learning tool for education on pressure ulcer evaluation](#)

[Effectiveness of cell phones and mypyramidtracker.gov to estimate fruit and vegetable intake](#)

[Effectiveness of mobile phone messaging in prevention of type 2 diabetes by lifestyle modification in men in India: a prospective, parallel-group, randomised controlled trial : The Lancet Diabetes & Endocrinology](#)

[Effectiveness of PhysioDirect telephone assessment and advice services for patients with musculoskeletal problems: pragmatic randomised controlled trial BMJ](#)

[Effectiveness of Telemedical Applications in Postoperative Follow-Up After Total Joint Arthroplasty](#)

[Effectiveness of Telephone-Based Counseling for Improving the Quality of Life Among Middle-Aged Women.](#)

[Effects and barriers to deployment of telehealth wellness programs for chronic patients across 3 European countries](#)

[Effects of a telehealth programme using mobile data transmission on primary healthcare utilisation among children in Bamako, Mali](#)

[Effects of a web-based stroke education program on recurrence prevention behaviors among stroke patients: a pilot study](#)

[Effects of an animated diagram and video-based online breathing program for dyspnea in patients with stable COPD](#)

[Effects of an Individually Tailored Web-Based Chronic Pain Management Program on Pain Severity, Psychological Health, and Functioning](#)

[Effects of an internet support system to assist cancer patients in reducing symptom distress: a randomized controlled trial](#)

[Effects of care management and telehealth: a longitudinal analysis using medicare data](#)

[Effects of self-management health information technology on glycaemic control for patients with diabetes: a meta-analysis of randomized controlled trials](#)



[Effects of type 2 diabetes behavioural telehealth interventions on glycaemic control and adherence: a systematic review](#)

[Efficacy of multiparametric telemonitoring on respiratory outcomes in elderly people with COPD: a randomized controlled trial](#)

[Efficacy of simple home-based technologies combined with a monitoring assistive center in decreasing falls in a frail elderly population \(results of the Esoppe study\)](#)

[Efficacy of text messaging-based interventions for health promotion: A meta-analysis](#)

[eHealth in Denmark: A Case Study](#)

[E-Health innovations, collaboration, and healthcare disparities: Developing criteria for culturally competent evaluation](#)

[eHealth Literacy and Older Adults: A Review of Literature : Topics in Geriatric Rehabilitation](#)

[eHealth promotion and social innovation with youth: using social and visual media to engage diverse communities](#)

[Elderly Persons and Internet Use](#)

[Electronic Health Record Acceptance by Physicians: Testing an Integrated Theoretical Model](#)

[Electronic health record-based assessment of oral corticosteroid use in a population of primary care patients with asthma: an observational study](#)

[Electronic health records slow the rise of healthcare costs](#)

[Electronic patient portals: evidence on health outcomes, satisfaction, efficiency, and attitudes: a systematic review](#)

[Electronic prescribing in pediatrics: toward safer and more effective medication management](#)

[Electronic stimulation therapy for obstructive sleep apnea is safe, effective, new study suggests](#)

[elehealth Problem-Solving Therapy for Depressed Low-Income Homebound Older Adults](#)

[Emergency department overcrowding, mortality and the 4-hour rule in Western Australia](#)

[England's national programme for IT](#)

[Entangled complexity: why complex interventions are just not complicated enough](#)

[Established users and the making of telecare work in long term condition management: implications for health policy](#)

[Estimating the economic and social costs of dementia in Ireland](#)

[Ethical considerations of clinical photography in an area of emerging technology and smartphones](#)

[Ethical implications of home telecare for older people: a framework derived from a multisited participative study](#)

[Ethical issues in using social media for health and health care research](#)

[Evaluating internet health resources in ear, nose, and throat surgery](#)

[Evaluating mobile weight loss apps on use of evidence-based behavioral strategies](#)

[Evaluating Self-Management Behaviors of Diabetic Patients in a Telehealthcare Program: Longitudinal Study Over 18 Months](#)

[Evaluating the impact of telepharmacy](#)

[Evaluation of a Web-Based Program Promoting Healthy Eating and Physical Activity for Adolescents: Teen Choice: Food and Fitness](#)

[Evaluation of computer-tailored health education \('E-health4Uth'\) combined with personal counselling \('E-health4Uth + counselling'\) on adolescents' behaviours and mental health status: design of a three-armed cluster randomised controlled trial.](#)

[Evaluation of health alerts from an early illness warning system in independent living](#)

[Evaluation of heart failure websites for patient education](#)

[Evaluation of Telemedicine for Screening of Diabetic Retinopathy in the Veterans Health Administration](#)

[Evidence for the long term cost effectiveness of home care reablement programs](#)

[Exercise programs for people with dementia - The Cochrane Library - Wiley Online Library](#)

[Exergaming in older adults: A scoping review and implementation potential for patients with heart failure](#)

[Experiences with using information and communication technology to build a multi-municipal support network for informal carers](#)

[Experts question size of savings from NHS going paperless](#) BMJ (UK)

[Exploring telemonitoring and self-management by patients with chronic obstructive pulmonary disease: A qualitative study embedded in a randomized controlled trial](#)

[Exploring the feasibility of text messaging to support substance abuse recovery among youth in treatment](#)

[Exploring the role of ICT in the provision of integrated care-Evidence from eight countries](#)

[Facilitated patient experience feedback can improve nursing care: a pilot study for a phase III cluster randomised controlled trial](#)

[Facilitators and barriers to safe emergency department transitions for community dwelling older people with dementia and their caregivers: A social ecological study](#)

[Factors affecting frequency of patient use of Internet-based telemedicine to manage cardiovascular disease risk](#)

[Factors affecting front line staff acceptance of telehealth technologies: a mixed-method systematic review](#)

[Factors influencing the adoption and implementation of teledentistry in the UK, with a focus on orthodontics](#)

[Factors influencing use of an e-health website in a community sample of older adults](#)

[Failure to Engage Hospitalized Elderly Patients and Their Families in Advance Care Planning](#)

[Falls in the elderly \(Assessment of\)](#)

[Family Caregivers of Patients With Heart Failure: A Longitudinal Study](#)

[Family history of diabetes increases the risk of prediabetes by 26 percent, with effect most evident in non-obese](#)

[Features of computerized clinical decision support systems supportive of nursing practice: a literature review](#)

[Features of effective computerised clinical decision support systems: meta-regression of 162 randomised trials](#) BMJ

[Finding the missing millions - the impact of a locally enhanced service for COPD on current and projected rates of diagnosis: a population-based prevalence study using interrupted time series analysis.](#)

[Finding the patient in patient safety](#)

[Five biases of new technologies](#)

[Five Laws for Integrating Medical and Social Services: Lessons from the United States and the United Kingdom](#)

[Flexible polymer transistors with high pressure sensitivity for application in electronic skin and health monitoring](#)

[Fragmentation: a wicked problem with an integrated solution?](#)

[Frailty in elderly people : The Lancet](#)

[Frailty in patients affected by atrial fibrillation](#)

[From mobile mental health to mobile wellbeing: opportunities and challenges](#)

[From Nudging to Budging: Using Behavioural Economics to Inform Public Sector Policy](#)

[General Health Checks in Adults for Reducing Morbidity and Mortality From Disease](#)

[General health checks in adults for reducing morbidity and mortality from disease: Cochrane systematic review and meta-analysis](#)

[GeriTech: Two Must-reads from JAMA's Critical Issues in US Healthcare](#)

[Giving rheumatology patients online home access to their electronic medical record \(EMR\): advantages, drawbacks and preconditions according to care providers](#)

[Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010 : The Lancet](#)

[Global Strategy for the Diagnosis, Management, and Prevention of Chronic Obstructive Pulmonary Disease](#)

[Glucose Control in Older Adults With Diabetes Mellitus—More Harm Than Good?](#)

[Glycemic Control Associated With Secure Patient-Provider Messaging Within a Shared Electronic Medical Record: A Longitudinal Analysis](#)

[Governing through Evidence: A Study of Technological Innovation in Health Care](#)

[Govsphere Launches VITAL Telehealth Website](#)

[Guest Blog: The end of systematic reviews?](#)

[Guidelines ed from the American Geriatrics Society Guidelines for Improving the Care of Older Adults with Diabetes Mellitus: 2013 Update](#)

[Guiding Principles for the Care of Older Adults with Multimorbidity: An Approach for Clinicians - 2012](#)

[Haneke Design Creates Mobile App That Helps Patients, Doctors Uncover One of America's Most Commonly Misdiagnosed Conditions](#)

[Harnessing the cloud of patient experience: using social media to detect poor quality healthcare](#)

[The Architecture of a Software System for Supporting Community-based Primary Health Care with Mobile Technology: The Mobile Technology for Community Health \(MoTeCH\) Initiative in Ghana](#)

[The impact of telehealth monitoring on acute care hospitalization rates and emergency department visit rates for patients using home health skilled nursing care](#)

[Health and Illness in a Connected World: How Might Sharing Experiences on the Internet Affect People's Health?](#)

[Health behavior models in the age of mobile interventions: are our theories up to the task?](#)

[Health Care, the Market and Consumer Choice](#)

[Health experts approaches in the post-modern era of virtual performances: An ethnography study](#)

[Health Information Technology in Screening and Treatment of Child Obesity: A Systematic Review.](#)

[Health infusion by healthcare practitioners in the national health services](#)

[Health transitions in recently widowed older women: a mixed methods study](#)

[Healthcare information systems: a patient-user perspective](#)

[Healthcare information technology's relativity problems: a typology of how patients' physical reality, clinicians' mental models, and healthcare information technology differ](#)

[Heart failure patients with depression have four times risk of death](#)

[Heart failure symptom measures: critical review](#)

[Heart failure symptom monitoring and response training](#)

[Heart failure therapy in patients with coronary artery disease.](#)

[Heart failure: clinical problem and management issues](#)

[High lifetime costs for type 2 diabetes](#)

[High-intensity telemedicine-enhanced acute care for older adults: an innovative healthcare delivery model](#)

[Home Blood Pressure Monitoring: Take It to the Bank](#)

[Home Is Where the Health Is: Obamacare Positions Telehealth Tech as a Remedy for Chronic Hospital Readmissions](#)

[Home telemonitoring or structured telephone support programmes after recent discharge in patients with heart failure: systematic review and economic evaluation](#)

[HONEY: A Multimodality Fall Detection and Telecare System](#)

[Hospital readmission performance and patterns of readmission: retrospective cohort study of Medicare admissions](#)

[How do we know whether medical apps work? BMJ](#)

[How do you measure trust in the health system? A systematic review of the literature](#)

[How QOF is shaping primary care review consultations: a longitudinal qualitative study](#)

[How smartphones are changing the face of mobile and participatory healthcare: an overview, with example from eCAALYX](#)

[How the e-patient community helped save my life: an essay by Dave deBronkart BMJ](#)

[How virtual admission affects coping - telemedicine for patients with chronic obstructive pulmonary disease](#)

[HSJ Innovation Through Technology Supplement - Dec 2012](#)

['I need her to be a doctor': patients' experiences of presenting health information from the internet in GP consultations](#)

[Identifying cognitive impairment in heart failure: A review of screening measures](#)

[I'm a patient: show me the trial data - BMJ](#)

[iMA Journal Club, Study Done to Assess Apple's Facetime® in a Dermatology Practice](#)

[iMA Journal Club: Study on using mobile technology to supplement weight loss](#)

[Impact of a mobile phone and web program on symptom and functional outcomes for people with mild-to-moderate depression, anxiety and stress: a randomised controlled trial](#)

[Impact of care management processes and integration of care on blood pressure control in diabetes](#)

[Impact of critical care telemedicine consultations on children in rural emergency departments](#)

[Impact of self-help weight loss resources with or without online support on the dietary intake of overweight and obese men: The SHED-IT randomised controlled trial](#)

[Impact of telehealth on general practice contacts: findings from the whole systems demonstrator cluster randomised trial](#)

[Impact of telehealth on general practice contacts: findings from the whole systems demonstrator cluster randomised trial](#)

[Impact of Telemedicine in Managing Type 1 Diabetes Among School-age Children and Adolescents: An Integrative Review](#)

[Impact of telemonitoring home care patients with heart failure or chronic lung disease from primary care on healthcare resource use \(the TELBIL study randomised controlled trial\).](#)

[Impact on diabetes management of General Practice Management Plans, Team Care Arrangements and reviews](#)

[Impacts of second-generation electronic prescriptions on the medication management process in primary care: A systematic review](#)

[Implementation of a telehealth programme for patients with severe chronic obstructive pulmonary disease treated with long-term oxygen therapy](#)

[Implementation of m-health applications in Botswana: telemedicine and education on mobile devices in a low resource setting](#)

[Implementation of self management support for long term conditions in routine primary care settings: cluster randomised controlled trial](#)

[Implementing Home Blood Glucose and Blood Pressure Telemonitoring in Primary Care Practices for Patients with Diabetes: Lessons Learned](#)

[Improving outcomes for patients with type 2 diabetes using general practice networks: a quality improvement project in east London](#)

[Improving the identification of people with dementia in primary care: evaluation of the impact of primary care dementia coding guidance on identified prevalence -- Russell et al. 3 \(12\) -- BMJ Open](#)

[Improving the safety of patients in England - BMJ](#)

[Incidence and predictors of heart failure hospitalization and death in permanent pacemaker patients: a single-centre experience over medium-term follow-up.](#)

[Income inequality and 30 day outcomes after acute myocardial infarction, heart failure, and pneumonia: retrospective cohort study | BMJ](#)

[Increasing the medium-term clinical benefits of hospital-based cardiac rehabilitation by physical activity telemonitoring in coronary artery disease patients](#)

[Increasing utilization of Internet-based resources following efforts to promote evidence-based medicine: a national study in Taiwan](#)

[Information about assisted dying: an evaluation of web-based information resources](#)

[Information Overload and Missed Test Results in Electronic Health Record Based Settings](#)

[In-home monitoring of older adults with vision impairment: exploring patients', caregivers' and professionals' views](#)

[Initial Design of Culturally Informed Behavioral Intervention Technologies: Developing an mHealth Intervention for Young Sexual Minority Men With Generalized Anxiety Disorder and Major Depression](#)

[Innovative mobile technology alcohol education for young people with type 1 diabetes](#)

[Installing Telecare, Installing Users: Felicity Conditions for the Instauration of Usership](#)

[Integrated disease management interventions for patients with chronic obstructive pulmonary disease - The Cochrane Library Online Library](#)

[Integrating Self Blood Pressure Monitoring Into the Routine Management of Uncontrolled Hypertension: Translating Evidence to Practice](#)

[International Journal of Medical Informatics - Towards an ontology for data quality in integrated chronic disease management: A realist review of the literature](#)

[International Journal of Medical Informatics - Trustworthy reuse of health data: A transnational perspective](#)

[Internet and telephonic IVR mixed-mode survey for longitudinal studies: choice, retention, and data equivalency](#)

[Internet information on child oral health and the first dental visit](#)

[Internet self-management uniform reporting framework: the need for uniform reporting criteria when reporting internet interventions](#)

[Internet use and cancer-preventive behaviors in older adults: findings from a longitudinal cohort study](#)

[Internet-based interventions for smoking cessation](#)

[Internet-based surveillance systems for monitoring emerging infectious diseases : The Lancet Infectious Diseases](#)

[Internet-enabled pulmonary rehabilitation and diabetes education in group settings at home: a preliminary study of patient acceptability](#)

[Introducing a nationally shared electronic patient record: Case study comparison of Scotland, England, Wales and Northern Ireland](#)

[Irishman's mood monitoring app wins US award](#)

[Is "teach-back" associated with knowledge retention and hospital readmission in hospitalized heart failure patients?](#)

[Is case management effective in reducing the risk of unplanned hospital admissions for older people? A systematic review and meta-analysis](#)

[Is epidemiology ready for epigenetics?](#)

[Is secondary preventive care improving? Observational study of 10-year trends in emergency admissions for conditions amenable to ambulatory care -- Bardsley et al. 3 \(1\) -- BMJ Open](#)

[Is telephone review feasible and potentially effective in low vision services?](#)

[Iterative Evaluation of a Web-Based Health Information Resource](#)

[JAMA - Can Mobile Health Technologies Transform Health Care?](#)

[JAMA Current Challenges to Academic Health Centers](#)

[JAMA Prevalence, Awareness, Treatment, and Control of Hypertension in Rural and Urban Communities in High-, Middle-, and Low-Income Countries](#)

[JAMA The HIPAA Conundrum in the Era of Mobile Health and Communications](#)

[JAMA Network JAMA Internal Medicine Types and Origins of Diagnostic Errors in Primary Care Settings](#)

[JAMA Study Shows Telemonitoring With Pharmacist Management Improves Blood Pressure Control](#)

[JAMA Study: Misdiagnosis Poses Significant Potential for Harm](#)

[JAMA Viewpoint Calls for Revising Physician Social Media Guidance](#)

[JAMA: Can Mobile Health Technologies Transform Health Care?](#)

[JMIR--A New Dimension of Health Care: Systematic Review of the Uses, Benefits, and Limitations of Social Media for Health Communication](#)

[JMIR--A Smartphone-Based Intervention With Diaries and Therapist-Feedback to Reduce Catastrophizing and Increase Functioning in Women With Chronic Widespread Pain: Randomized Controlled Trial](#)

[JMIR--A Smartphone-Based Intervention With Diaries and Therapist-Feedback to Reduce Catastrophizing and Increase Functioning in Women With Chronic Widespread Pain: Randomized Controlled Trial Kristj nsd ttir Journal of Medical Internet Research](#)

[JMIR--A Systematic Review of Web-Based Interventions for Patient Empowerment and Physical Activity in Chronic Diseases: Relevance for Cancer Survivors Kuijpers Journal of Medical Internet Research](#)

[JMIR--A Systematic Self-Certification Model for Mobile Medical Apps](#)

[JMIR--A Text Messaging Intervention to Improve Heart Failure Self-Management After Hospital Discharge in a Largely African-American Population: Before-After Study](#)

[JMIR--Adherence to a Smartphone Application for Weight Loss Compared to Website and Paper Diary: Pilot Randomized Controlled Trial](#)

[JMIR--Clinical Outcome and Cost-Effectiveness of a Synchronous Telehealth Service for Seniors and Nonseniors with Cardiovascular Diseases: Quasi-Experimental Study](#)

[JMIR--Correlates of Health-Related Social Media Use Among Adults](#)

[JMIR--Development and Testing of a Multidimensional iPhone Pain Assessment Application for Adolescents with Cancer](#)

[JMIR--Differences in Reach and Attrition Between Web-Based and Print-Delivered Tailored Interventions Among Adults over 50 Years of Age: Clustered Randomized Trial](#)

[JMIR--Evaluating the Translation Process of an Internet-Based Self-Help Intervention for Prevention of Depression: A Cost-Effectiveness Analysis Lintvedt Journal of Medical Internet Research](#)

[JMIR--Health Professionals' Expectations Versus Experiences of Internet-Based Telemonitoring: Survey Among Heart Failure Clinics de Vries Journal of Medical Internet Research](#)

[JMIR--Hispanic Migrant Farm Workers' Attitudes Toward Mobile Phone-Based Telehealth for Management of Chronic Health Conditions](#)

[JMIR--Increased Use of Twitter at a Medical Conference: A Report and a Review of the Educational Opportunities](#)

[JMIR--Increasing Physical Activity With Mobile Devices: A Meta-Analysis](#)

[JMIR--Information and Communication Technology to Support Self-Management of Patients with Mild Acquired Cognitive Impairments: Systematic Review](#)

[JMIR--Internal Versus External Motivation in Referral of Primary Care Patients with Depression to an Internet Support Group: Randomized Controlled Trial](#)

[JMIR--Mapping mHealth Research: A Decade of Evolution](#)

[JMIR--Measuring Actual eHealth Literacy Among Patients With Rheumatic Diseases: a Qualitative Analysis of Problems Encountered Using Health 1.0 and Health 2.0 Applications](#)

[JMIR--Misleading Health-Related Information Promoted Through Video-Based Social Media: Anorexia on YouTube](#)

[JMIR--Mobile Health \(mHealth\) Approaches and Lessons for Increased Performance and Retention of Community Health Workers in Low- and Middle-Income Countries: A Review](#)

[JMIR--Mobile Health Applications for the Most Prevalent Conditions by the World Health Organization: Review and Analysis](#)

[JMIR--Mobile Phone Applications for the Care and Prevention of HIV and Other Sexually Transmitted Diseases: A Review](#)

[JMIR--Multilevel Growth Curve Analyses of Treatment Effects of a Web-Based Intervention for Stress Reduction: Randomized Controlled Trial](#)

[JMIR--Open Peer-Review: Evaluating Self-Management Behaviors of Diabetes Patients in Telehealthcare Program, and other submissions](#)

[JMIR--Opportunities and Challenges for Smartphone Applications in Supporting Health Behavior Change: Qualitative Study](#)

[JMIR--Patient Experiences With Full Electronic Access to Health Records and Clinical Notes Through the My HealthVet Personal Health Record Pilot: Qualitative Study](#)

[JMIR--Quantifying Short-Term Dynamics of Parkinson's Disease Using Self-Reported Symptom Data From an Internet Social Network Little Journal of Medical Internet Research](#)

[JMIR--Systematic Reviews and Meta-Analyses of Home Telemonitoring Interventions for Patients With Chronic Diseases: A Critical Assessment of Their Methodological Quality](#)

[JMIR--Telemedicine Service Use: A New Metric](#)

[JMIR--The Effect of Program Design on Engagement With an Internet-Based Smoking Intervention: Randomized Factorial Trial](#)

[JMIR--The Effects of Combining Web-Based eHealth With Telephone Nurse Case Management for Pediatric Asthma Control: A Randomized Controlled Trial](#)

[JMIR--The Impact of Electronic Patient Portals on Patient Care: A Systematic Review of Controlled Trials](#)

[JMIR--Type 1 Diabetes eHealth Psychoeducation: Youth Recruitment, Participation, and Satisfaction](#)

[JMIR--Understanding the Factors That Influence the Adoption and Meaningful Use of Social Media by Physicians to Share Medical Information](#)

[JMIR--Using Text Messaging to Assess Adolescents' Health Information Needs: An Ecological Momentary Assessment](#)

[JMIR--Web 2.0 Chronic Disease Self-Management for Older Adults: A Systematic Review](#)

[JMIR--Website Usage and Weight Loss in a Free Commercial Online Weight Loss Program: Retrospective Cohort Study](#)

[JMU--Long-Term Engagement With a Mobile Self-Management System for People With Type 2 Diabetes Tataru JMIR mhealth and uhealth](#)

[JMU--User Perceptions of an mHealth Medicine Dosing Tool for Community Health Workers Palazuelos JMIR mhealth and uhealth](#)

[Journal Club for Iphone- Medical Apps Peer Reviewed - The Medical App Journal](#)

[Journal of Biomedical Informatics - Security and privacy in electronic health records: a systematic literature review](#)

[Journal of Mobile Technology in Medicine - new edition](#)

[Journal of Smart Homecare Technology and TeleHealth](#)

[Journal of the International Society for Telemedicine and eHealth](#)

[JPM Special Issue: Mobile Health](#)

[Knowing, caring, and telehealth technology: "going the distance" in nursing practice](#)

[Knowledge transfer from an e-learning course to clinical practice](#)

[Lanthier - Internal Medicine Practical Guide \(Medical App\)](#)

[Leveraging text messaging and mobile technology to support pediatric obesity-related behavior change: a qualitative study using parent focus groups and interviews](#)

[Life with chronic obstructive pulmonary disease: striving for 'controlled co-existence'](#)

[Liverpool Care Pathway for patients with cancer in hospital: a cluster randomised trial](#)

[Local Government Association - Towards Excellence in Adult Social Care](#)

[Loneliness, like chronic stress, taxes the immune system](#)

[Longitudinal Differences in Cognitive Functioning Among Older Adults With and Without Heart Failure](#)

[Long-Term Outcomes of Internet-Based Self-Management Support in Adults With Asthma: Randomized Controlled Trial](#)

[Making sense of complex electronic records: Socio-technical design in social care](#)

[Managing hypertension in urban underserved subjects using telemedicine--a clinical trial](#)

[Measuring the effects of online health information for patients: Item generation for an e-health impact questionnaire](#)

[Media use for seeking health/cancer-related information: Findings from knowledge, attitudes and practices towards cancer prevention and care survey in Jordan](#)

[Medical applications for pharmacists using mobile devices](#)

[Medical Calculators - Apps that will require FDA regulation](#)

[Medical journal uses crowdsourcing model](#)

[Medication error reporting in rural critical access hospitals in the North Dakota Telepharmacy Project](#)

[Medtronic gets FDA approval for heart-failure device](#)

[Mental health in long-term care settings: The Dutch approach](#)

[Meta-analysis and meta-regression of telehealth programmes for patients with chronic heart failure](#)

[mHealth Alliance and Pfizer Call for Collective Action on Mobile Health for Healthy Aging](#)

[mHealth for Midwives: A Call to Action](#)

[mHealth Identified as Critical Strategy in Medication Adherence Programs](#)

[mHealth in Health Information Delivery; The Indian Scenario](#)

[mHealth innovations as health system strengthening tools: 12 common applications and a visual framework](#)

[Midlife stroke risk and cognitive decline: A 10-year follow-up of the Whitehall II cohort study](#)

[Mobile Applications and Internet-based Approaches for Supporting Non-professional Caregivers: A Systematic Review](#)

[Mobile Health Applications for the Most Prevalent Conditions by the World Health Organization: Review and Analysis](#)

[Mobile health messages help sustain recent weight loss](#)

[Mobile Health Technology Can Save Thousands of Dollars](#)

[Mobile Health Technology Evaluation - The mHealth Evidence Workshop](#)

[Mobile Phone Health Apps for Diabetes Management: Current Evidence and Future Developments](#)

[Mobile phone interventions to increase physical activity and reduce weight: a systematic review](#)

[Mobile phone text message intervention to reduce binge drinking among young adults: study protocol for a randomized controlled trial.](#)

[Mobile phone-based interventions for smoking cessation - The Cochrane Library](#)

[Modeling intention to participate in face-to-face and online lung cancer support groups](#)

[Momentary Assessment of Social Context and Glucose Monitoring Adherence in Adolescents With Type 1 Diabetes](#)

[Monetary Costs of Dementia in the United States](#)

[Monitoring childhood asthma: Web-based diaries and the asthma control test](#)

[More Than One-Third of US Individuals Use the Internet to Self-diagnose](#)

[Mortality by Level of Emphysema and Airway Wall Thickness](#)

[Most innovations are not advances: innovation + evaluation = progress](#)

[Motivational cues as real-time feedback for changing daily activity behavior of patients with COPD](#)

[Motivational interviewing in a web-based physical activity intervention: questions and reflections](#)

[MPM: A Knowledge-Based Functional Model of Medical Practice](#)

[Multi-component weight-loss interventions for people with cardiovascular disease and/or type 2 diabetes mellitus: a systematic review.](#)

[Multimorbidity, polypharmacy, referrals, and adverse drug events: are we doing things well?](#)

[New dementia targets are proposed for GPs in next year's QOF](#)

[New Insights into the Dementia Epidemic](#)

[New Media Use by Patients Who Are Homeless: The Potential of mHealth to Build Connectivity](#)

[New Technology Lets Doctors Watch Patients From Afar](#)

[New-Onset Diabetes Mellitus in Elderly Subjects: Association between HbA1c levels, mortality, and coronary revascularization](#)

[Non-motor symptoms of Parkinson's disease: the patient's perspective.](#)

[Non-response in telephone surveys of COPD patients does not introduce bias](#)



[Not all systematic reviews are systematic: a meta-review of the quality of systematic reviews for non-invasive remote monitoring in heart failure](#)

[Novel Telemedicine Technologies in Geriatric Chronic Non-Cancer Pain: Primary Care Providers' Perspectives](#)

[Older adults' satisfaction with a medication dispensing device in home care](#)

[Older Patients' Experiences of Heart Failure-An Integrative Literature Review](#)

[On the remarkable persistence of asymmetry in doctor/patient interaction: a critical review](#)

[Online anonymous discussion between service users and health professionals to ascertain stakeholder concerns in using e-health services in mental health](#)

[Online disease management of diabetes: engaging and motivating patients online with enhanced resources-diabetes \(EMPOWER-D\), a randomized controlled trial.](#)

[Online Screening and Referral for Postpartum Depression: An Exploratory Study](#)

[Online Social Networking for HIV Education and Prevention: A Mixed-Methods Analysis](#)

[Online social networking sites – a novel setting for health promotion?](#)

[Only one in four people with uncontrolled epilepsy sees a specialist](#)

[Over-claiming the evidence for telehealth and telecare?](#)

[PAL-MED CONNECT\(®\): A Telephone Consultation Hotline for Palliative Medicine Questions.](#)

[Paper-thin skin patch collects vitals: E-health made easier and more comfortable](#)

[Participants, Usage, and Use Patterns of a Web-Based Intervention for the Prevention of Depression Within a Randomized Controlled Trial](#)

[Patient access to complex chronic disease records on the Internet](#)

[Patient and carer experience of obtaining regular prescribed medication for chronic disease in the English National Health Service: a qualitative study](#)

[Patient and service user engagement in research: a systematic review and synthesized framework](#)

[Patient confidentiality in a time of care.data](#)

[Patient Engagement and Reported Outcomes in Surgical Recovery: Effectiveness of an e-Health Platform](#)

[Patient Portals Present Opportunities, Challenges](#)

[Patient powered health](#)

[Patient safety education - A description and evaluation of an international, interdisciplinary e-learning programme](#)

[Patient Satisfaction and Patient-Centered Care Necessary but Not Equal](#)

[Patient survival rates for individual surgeons will be published from 2013](#)

[Patient-Centered Care for Older Adults with Multiple Chronic Conditions: A Stepwise Approach from the American Geriatrics Society](#)

[Patient-centred healthcare, social media and the internet: the perfect storm?](#)

[Patterns of Comorbidity in Older Adults with Heart Failure: The Cardiovascular Research Network PRESERVE Study](#)

[Paxeramed debuts industry's first social-media medical images sharing module](#)

[Pedometer-Based Internet-Mediated Intervention For Adults With Chronic Low Back Pain: Randomized Controlled Trial](#)

[Perception of Influencing Factors on Acceptance of Mobile Health Monitoring Service: A Comparison between Users and Non-users](#)

[Personal Health Technologies in Employee Health Promotion: Usage Activity, Usefulness, and Health-Related Outcomes in a 1-Year Randomized Controlled Trial](#)

[Personalisation and Innovation in a Cold Financial Climate](#)

[Personalised care for patients with type 2 diabetes reduces complications, study finds](#)

[Pharmacist-led interventions to reduce unplanned admissions for older people: a systematic review and meta-analysis of randomised controlled trials](#)

[Physical Activity Text Messaging Interventions in Adults: A Systematic Review](#)

[Physical and cognitive functioning of people older than 90 years: a comparison of two Danish cohorts born 10 years apart](#)

[Physical fitness training for stroke patients - The Cochrane Library](#)

[Pilot study of a web-based intervention for adolescents with type 1 diabetes](#)

[PLOS Medicine: A Reality Checkpoint for Mobile Health: Three Challenges to Overcome](#)

[PLOS Medicine: Association of Lifecourse Socioeconomic Status with Chronic Inflammation and Type 2 Diabetes Risk: The Whitehall II Prospective Cohort Study](#)

[PLOS Medicine: Scaling Up mHealth: Where Is the Evidence?](#)

[PLOS Medicine: Social Relationships and Mortality Risk: A Meta-analytic Review](#)

[PLOS Medicine: The Effectiveness of Mobile-Health Technologies to Improve Health Care Service Delivery Processes: A Systematic Review and Meta-Analysis](#)

[PLOS Medicine: The Effectiveness of Mobile-Health Technology-Based Health Behaviour Change or Disease Management Interventions for Health Care Consumers: A Systematic Review](#)

[PLOS Medicine: Why Do Evaluations of eHealth Programs Fail? An Alternative Set of Guiding Principles](#)

[PLOS ONE: A Pilot Study of an mHealth Application for Healthcare Workers: Poor Uptake Despite High Reported Acceptability at a Rural South African Community-Based MDR-TB Treatment Program](#)

[PLOS ONE: Access to Primary Care and Visits to Emergency Departments in England: A Cross-Sectional, Population-Based Study](#)

[PLOS ONE: Can Text Messages Reach the Parts Other Process Measures Cannot Reach: An Evaluation of a Behavior Change Intervention Delivered by Mobile Phone?](#)

[PLOS ONE: Community Health Workers and Mobile Technology: A Systematic Review of the Literature](#)

[PLOS ONE: Effectiveness of Community-Wide and Individual High-Risk Strategies to Prevent Diabetes: A Modelling Study](#)

[PLOS ONE: Guided Self-Help Cognitive Behavioural Therapy for Depression in Primary Care: A Randomised Controlled Trial](#)

[PLOS ONE: iPad-Assisted Measurements of Duration Estimation in Psychiatric Patients and Healthy Control Subjects](#)

[PLOS ONE: Remote Measurements of Heart and Respiration Rates for Telemedicine](#)

[PLOS ONE: Social Features of Online Networks: The Strength of Intermediary Ties in Online Social Media](#)

[PLOS ONE: The Impact of Telehealthcare on the Quality and Safety of Care: A Systematic Overview](#)

[PLOS ONE: Telemedicine](#)

[Political drive to screen for pre-dementia: not evidence based and ignores the harms of diagnosis](#)

[Population ageing: the timebomb that isn't?](#)

[Post-disaster Gulf Coast Recovery Using Telehealth](#)

[Post-Hospital Syndrome - An Acquired, Transient Condition of Generalized Risk](#)

[Potential benefits of well engaged patients are akin to those from a blockbuster drug, say experts](#)

[Potential Efficiency Benefits of Nonmydriatic Ultrawide Field Retinal Imaging in an Ocular Telehealth Diabetic Retinopathy Program](#)

[Potential of telemedicine to provide acute medical care for adults in senior living communities](#)

[Practical aspects of telehealth: financial considerations](#)

[Preanesthesia screening phone messages and rate of return based on the primary language of patient](#)

[Predicting costs of care in heart failure patients](#)

[Preferences for cancer investigation: a vignette-based study of primary-care attendees](#)

[Pregnancy e-health: a multicenter Italian cross-sectional study on internet use and decision-making among pregnant women](#)

[Primary care nurses' experiences of how the mass media influence frontline healthcare in the UK](#)

[Primary Care Physician Shortages Could Be Eliminated Through Use Of Teams, Nonphysicians, And Electronic Communication](#)

[Primary Results of the HABIT Trial \(Heart Failure Assessment With BNP in the Home\)](#)

[Principles and Framework for eHealth Strategy Development](#)

[Privacy policies for health social networking sites](#)

[Privacy-preserving screen capture: Towards closing the loop for health IT usability](#)

[Probing for depression and finding diabetes: a mixed-methods analysis of depression interviews with adults treated for type 2 diabetes](#)

[Promoting networks between evidence-based medicine and values-based medicine in continuing medical education](#)

[Protocol: Medical Apps An Opportunity for Healthcare Brands](#)

[Protocol: Telehealth Solutions for Remote Healthcare Delivery](#)

[Psychological therapies for the management of chronic pain \(excluding headache\) in adults](#)

[Psychotherapy via internet as good as if not better than face-to-face consultations](#)

[Public has fewer worries about sharing health information than other personal data](#)

[Racial Differences in the Impact of Elevated Systolic Blood Pressure on Stroke Risk](#)

[Realist RCTs of complex interventions - an oxymoron](#)

[Receipt of High Risk Medications among Elderly Enrollees in Medicare Advantage Plans](#)

[Redesigning Primary Care: A Strategic Vision To Improve Value By Organizing Around Patients' Needs](#)

[Reform reform: an essay by John Oldham BMJ](#)

[REGSTATTOOLS: freeware statistical tools for the analysis of disease population databases used in health and social studies](#)

[Regulating medical apps: which ones and how much?](#)

[Relation between telecare implementation and number of treatment days in a Japanese town](#)

[Relationship between quality of care and choice of clinical computing system: retrospective analysis of family practice performance under the UK's quality and outcomes framework -- Kontopantelis et al. 3 \(8\) -- BMJ Open](#)

[Remote and web 2.0 interventions for promoting physical activity](#)

[Reporting of Patient-Reported Outcomes in Randomized Trials](#)

[Resilient actions in the diagnostic process and system performance](#)

[Richard Smith: Database of cases launched](#)

[Richard Smith: Health and social care: lots of activity, little value](#)

[Risk score for prediction of 10 year dementia risk in individuals with type 2 diabetes: a cohort study](#)

[Robot-assisted home hazard assessment for fall prevention: a feasibility study](#)

[Safety Events during an Automated Telephone Self-Management Support Intervention](#)

[Safety for home care: the use of Internet video calls to double-check interventions](#)

[SafetyLit: HONEY: a multimodality fall detection and telecare system](#)

[SAMS – A Systems Architecture for Developing Intelligent Health Information Systems](#)

[ScienceDirect.com - Alzheimer's & Dementia - Association of diabetes with amnesic and nonamnesic mild cognitive impairment](#)

[ScienceDirect.com - Applied Ergonomics - Advancing socio-technical systems thinking: A call for bravery](#)

[ScienceDirect.com - Clinical Psychology Review - Cognitive-Behavioral Therapy versus Other Therapies](#)

[ScienceDirect.com - Health & Place - Telehealth as peace of mind: embodiment, emotions and the home as the primary health space for people with chronic obstructive pulmonary disorder](#)

[ScienceDirect.com - Journal of Biomedical Informatics - A three stage ontology-driven solution to provide personalized care to chronic patients at home](#)

[Screening by Telephone in the Alzheimer's Disease Anti-inflammatory Prevention Trial](#)

[Screening for Depression by Telephone Using the German Version of the Center for Epidemiological Studies Depression Scale \(CES-D\)](#)

[Screening for Diabetes and Prediabetes Should be Cost-Saving in Patients at High Risk](#)  
[Scripps Health Launches Pilot Study of Wireless Vital Signs Device](#)  
[Search wide, dig deep: literature searching for qualitative research. An analysis of the publication formats and information sources used for four systematic reviews in public health - Stansfield - 2013 - Research Synthesis Methods - Wiley Online Library](#)  
[Secure messaging and diabetes management: experiences and perspectives of patient portal users](#)  
[Secure Mobile Agent for Telemedicine Based on P2P Networks](#)  
[Security Analysis of a Chaotic Map-based Authentication Scheme for Telecare Medicine Information Systems](#)  
[Seeking health advice on the Internet in patients with health problems: A cross-sectional population study in Slovenia](#)  
[Self management 'has no effect on outcomes'](#)  
[Sensor technologies aiming at fall prevention in institutionalized old adults: A synthesis of current knowledge](#)  
[Should general practices open for longer?](#)  
[Simultaneous Risk Factor Control Using Telehealth to slow Progression of Diabetic Kidney Disease \(STOP-DKD\)](#)  
[Six Minute Walk Test in COPD: Minimal Clinically Important Difference for Death or Hospitalization](#)  
[Six-months outcomes of a randomised trial of supportive text messaging for depression and comorbid alcohol use disorder](#)  
[SMART MOVE - a smartphone-based intervention to promote physical activity in primary care: study protocol for a randomized controlled trial](#)  
[Smartphone and tablet self management apps for asthma](#)  
[Smartphone apps let patients gauge entry times for emergency rooms](#)  
[Smartphone medication adherence apps: potential benefits to patients and providers](#)  
[Smartphones for Smarter Delivery of Mental Health Programs: A Systematic Review](#)  
[Smartphones improve communication with parents in NICU](#)  
[Smoking cessation in primary care: Implementation of a proactive telephone intervention](#)  
[Social Media and Physicians' Online Identity Crisis](#)  
[Social networks, social media, and social diseases](#)  
[Social Theory and Health - Knowing as practice: Self-care in the case of chronic multi-morbidities](#)  
[Social Theory and Health - M-health and health promotion: The digital cyborg and surveillance society](#)  
[Socioeconomic Disparities in Fatalistic Beliefs About Cancer Prevention and the Internet](#)  
[Specific Health Status Has an Impact on the Willingness to Use Telemonitoring: Data from a 2009 Health Survey in North Rhine-Westphalia, Germany](#)  
[Staff acceptance of a telemedicine intensive care unit program: A qualitative study](#)  
[Staff perceptions of addressing lifestyle in primary health care: a qualitative evaluation 2 years after the introduction of a lifestyle intervention tool](#)  
[Stepped Care to Optimize Pain care Effectiveness \(SCOPE\) trial study design and sample characteristics](#)  
[Stratified Patient-Centered Care in Type 2 Diabetes](#)  
[Study protocol of a randomized controlled trial to improve cancer prevention behaviors in adolescents and adults using a web-based intervention supplemented with SMS](#)  
[Successful implementation of a telemedicine-based counseling program for high-risk patients with breast cancer](#)  
[Successful treatment of patients with hepatitis C in rural and remote Western Australia via telehealth](#)  
[Synchronous telehealth technologies in psychotherapy for depression: a meta-analysis](#)  
[Synthesizing evidence on complex interventions: how meta-analytical, qualitative, and mixed-method approaches can contribute](#)

[Systematic depression screening in high-risk patients attending primary care: a pragmatic cluster-randomized trial](#)

[Systematic Reviews and Meta-Analyses of Home Telemonitoring Interventions for Patients With Chronic Diseases: A Critical Assessment of Their Methodological Quality](#)

[Tablet-Based Strength-Balance Training to Motivate and Improve Adherence to Exercise in Independently Living Older People: A Phase II Preclinical Exploratory Trial](#)

[TalkMeHome: an in situ evaluation of a service to guide a lost person with dementia home safely](#)

[Technologies for Active Aging - Springer](#)

[Technology Acceptance and Quality of Life of the Elderly in a Telecare Program](#)

[Technology identity: The role of sociotechnical representations in the adoption of medical devices](#)

[Tele-accelerometry as a novel technique for assessing functional status in patients with heart failure: Feasibility, reliability and patient safety](#)

[Telecare for an ageing population?](#)

[Telecare for diabetes mellitus: case managers' experiences](#)

[Telecare for the elderly-community nurses' experiences in taiwan](#)

[Teleconsultation in vascular surgery: a 13 year single centre experience](#)

[Teleconsulting for minor head injury: the Piedmont experience](#)

[Teledentistry: a systematic review of the literature](#)

[Teledermatology for skin cancer prevention: an experience on 690 Austrian patients](#)

[Teledermatology in the diagnosis of melanoma](#)

[Telegeriatrics Interprofessional Team Training Curriculum: A Needs Assessment](#)

[Telehealth can be beneficial when used properly, say experts](#)

[Telehealth opportunities in regional Queensland: a scoping study](#)

[Telehealth' pilot scheme expected to cut GP waiting lists, as long-term sick will be able to 'control their own care and medication from home'](#)

[Telehealth reduces hospital admission rates in patients with COPD](#)

[Telehealth system \(e-CUIDATE\) to improve quality of life in breast cancer survivors: rationale and study protocol for a randomized clinical trial](#)

[Telehealth: Lowering costs, improving patient outcomes : Communities](#)

[Telemedicine and advances in urban and rural healthcare delivery in Africa](#)

[Telemedicine and cardiac implants: what is the benefit?](#)

[Telemedicine and M-Health Convergence Market](#)

[Telemedicine can improve the quality of oral anticoagulation using portable devices and self-testing at home](#)

[Telemedicine Consultations and Medication Errors in Rural Emergency Departments](#)

[Telemedicine for genetic and neurologic evaluation in the neonatal intensive care unit](#)

[Telemedicine in wound care: a review](#)

[Telemedicine Pre-anesthesia Evaluation: A Randomized Pilot Trial](#)

[Telemedicine collaboration improves perinatal regionalization and lowers statewide infant mortality](#)

[Telemonitoring and self-management in the control of hypertension \(TASMINH2\): a cost-effectiveness analysis](#)

[Telemonitoring based service redesign for the management of uncontrolled hypertension: multicentre randomised controlled trial BMJ](#)

[Telemonitoring for chronic heart failure: the views of patients and healthcare professionals](#)

[Telenursing in the intensive care unit: transforming nursing practice](#)

[Telenursing Service DialNurse Opens Network of On-demand Medical Consultation to Business Community](#)

[Telephone Calls Postdischarge From Hospital to Home: A Literature Review](#)

[Telephone consultations in place of face to face out-patient consultations for patients discharged from hospital following surgery: a systematic review.](#)

[Telephone support for women during pregnancy and the first six weeks postpartum](#)

[Telephone survey of service-user experiences of a telephone-based mental health triage service](#)

[Telephone-Based Disease Management for Severe Enduring Mental Illnesses \(SEMIs\)](#)

[Telephone-based health coaching for chronically ill patients: study protocol for a randomized controlled trial](#)

[Telepulmonology: Effect on quality and efficiency of care](#)

[Telerehabilitation for people with chronic obstructive pulmonary disease: feasibility of a simple, real time model of supervised exercise training](#)

[Telestroke is cost-saving for society](#)

[Text messaging as adjunct to community-based weight management program](#)

[Text messaging services can help you stop smoking](#)

[The 60 most highly cited articles published in the Journal of Telemedicine and Telecare and Telemedicine Journal and E-health](#)

[The accuracy of self-reported medical history: A preliminary analysis of the promise of internet-based research in Inflammatory Bowel Diseases](#)

[The American Cancer Society Family of Journals app brings an abundance of information together in an organized way](#)

[The Association Between Health Care Quality and Cost: A Systematic Review](#)

[The association of anxiety and depression with future dementia diagnosis: a case-control study in primary care](#)

[The battle for NHS 111: who should run it now?](#)

[The caregiving perspective in heart failure: a population based study](#)

[The challenges of implementing a telestroke network: a systematic review and case study](#)

[The Complexities of Technology-Based Care: Telecare as Perceived by Care Practitioners](#)

[The Cost of Satisfaction - A National Study of Patient Satisfaction, Health Care Utilization, Expenditures, and Mortality](#)

[The cost-effectiveness of prenatal detection for congenital heart disease using telemedicine screening](#)

[The cost-effectiveness of smoking cessation support delivered by mobile phone text messaging: Txt2stop](#)

[The costs and potential savings of telemedicine for acute care neonatal consultation: preliminary findings](#)

[The digitally engaged patient: Self-monitoring and self-care in the digital health era](#)

[The effect of design on the usability and real world effectiveness of medical devices: A case study with adolescent users](#)

[The effect of diabetes complications on health-related quality of life: the importance of longitudinal data to address patient heterogeneity](#)

[The Effect of Medication Reminder Technology on Medication Adherence and Hypertension Outcomes](#)

[The effect of real-time teleconsultations between hospital-based nurses and patients with severe COPD discharged after an exacerbation](#)

[The effect of telecare on the quality of life and psychological well-being of elderly recipients of social care over a 12-month period: the Whole Systems Demonstrator cluster randomised trial](#)

[The Effect of Telephone-Facilitated Depression Care on Older, Medically Ill Patients](#)

[The effectiveness and cost-effectiveness of shared care: protocol for a realist review](#)

[The effectiveness and cost-effectiveness of telephone triage of patients requesting same day consultations in general practice: study protocol for a cluster randomised controlled trial comparing nurse-led and GP-led management systems \(ESTEEM\).](#)

[The Effectiveness of Telemedicine for Weight Management in the MOVE! Program](#)

[The Effects of Diabetes, Hypertension, Asthma, Heart Disease, and Stroke on Quality-Adjusted Life Expectancy](#)

[The effects of multivitamin supplementation on mood and general well-being in healthy young adults. A laboratory and at-home mobile phone assessment](#)

[The electronic health record as a healthcare management strategy and implications for obstetrics and gynecologic practice](#)

[The evaluation of a telephonic wellness coaching intervention for weight reduction and wellness improvement in a community-based cohort of persons with serious mental illness](#)

[The experience and impact of chronic disease peer support interventions: A qualitative synthesis](#)

[The experience of young adult cancer patients described through online narratives](#)

[The future of primary care](#)

[The Health Literacy Management Scale \(HeLMS\): A measure of an individual's capacity to seek, understand and use health information within the healthcare setting](#)

[The Healthy Living Partnerships to Prevent Diabetes Study: 2-Year Outcomes of a Randomized Controlled Trial](#)

[The Impact of Social Media on Medical Professionalism: A Systematic Qualitative Review of Challenges and Opportunities](#)

[The implementation effectiveness of the 'Strengthen your ankle' smartphone application for the prevention of ankle sprains: design of a randomized controlled trial](#)

[The Importance of 24-Hour Ambulatory Blood Pressure Monitoring in Patients at Risk of Cardiovascular Events](#)

[The in-between world of knowledge brokering - BMJ](#)

[The InterHerz project - a web-based psychological treatment for cardiac patients with depression: study protocol of a randomized controlled trial](#)

[The Lancet: The NHS: free and caring or a market commodity?](#)

[The long march from fountain pens to wireless tablets: how data are changing medicine](#)

[The Long-Term Effects of Lifestyle Change on Blood Pressure: One-Year Follow-Up of the ENCORE Study](#)

[The nature and course of illness perception following cardiac pacemaker implantation: A self-regulatory approach](#)

[The next-generation electronic health record: perspectives of key leaders from the US Department of Veterans Affairs](#)

[The NHS deserves better than this dash to market](#)

[The NHS in England in 2013](#)

[The n-of-1 clinical trial: the ultimate strategy for individualizing medicine?](#)

[The older the better: are elderly study participants more non-representative? A cross-sectional analysis of clinical trial and observational study samples](#)

[The Opinions About e-Health Among Nurses Employed in Hospitals Located in an Urban Area in Poland](#)

[The Oregon Experiment - Effects of Medicaid on Clinical Outcomes](#)

[The organising vision for telehealth and telecare: discourse analysis](#)

[The patient satisfaction chasm: the gap between hospital management and frontline clinicians](#)

[The Political Implications of Performance Management and Evidence-Based Policymaking](#)

[The Promise and Peril of Mobile Health Applications for Diabetes and Endocrinology](#)

[The pursuit of preventive care for chronic illness: turning healthy people into chronic patients](#)

[The Reading Brain in the Digital Age: The Science of Paper versus Screens](#)

[The relationship between distance to hospital and patient mortality in emergencies: an observational study](#)

[The Road toward Fully Transparent Medical Records](#)

[THE ROLE OF INFORMATICS IN PROMOTING PATIENT-CENTERED CARE](#)

[The role of patient-held alert cards in promoting continuity of care for Heart Failure Patients](#)

[The social considerations for moving health services into the home: A telecare perspective \(UK\)](#)

[The socio-technical organisation of community pharmacies as a factor in the Electronic Prescription Service Release Two implementation: a qualitative study](#)

[The status of telerehabilitation in neurological applications](#)

[The tyranny of light: The temptations and the paradoxes of the information society](#)

[The use of a home exercise program based on a computer system in patients with chronic obstructive pulmonary disease](#)

[The use of a proactive dissemination strategy to optimize reach of an internet-delivered computer tailored lifestyle intervention](#)

[The use of remote monitoring technologies in managing chronic obstructive pulmonary disease](#)

[The use of telemedicine to train perioperative nurses in rural settings](#)

[The Use of Video Clips in Teleconsultation for Preschool Children With Movement Disorders](#)

[The wave has finally broken: now what?](#)

[The Wearable, Implantable, Personalized Future of Medicine: Scientific American](#)

[Thinking about think tanks in health care: a call for a new research agenda](#)

[Threats to patient safety in telenursing as revealed in Swedish telenurses' reflections on their dialogues](#)

[Thrombolysis to stroke mimics in telestroke](#)

[Tools for assessing the quality and accessibility of online health information: initial testing among breast cancer websites](#)

[Towards a global definition of patient centred care](#)

[Translating the Diabetes Prevention Program lifestyle intervention for weight loss into primary care: a randomized trial](#)

[Transparency Life Sciences Partners With Oncology Researchers At Icahn School Of Medicine At Mount Sinai To Assess Metformin In Prostate Cancer](#)

[Transparency of Health-Apps for Trust and Decision Making](#)

[Treatment outcomes in a cohort of Palestine refugees with diabetes mellitus followed through use of E-Health over 3 years in Jordan](#)

[Type 2 Diabetes Self-Management: Role of Diet Self-Efficacy](#)

[Uncertainty in illness among patients with chronic heart failure is less in person-centred care than in usual care](#)

[Understanding Barriers to Wider Telehealth Adoption in the Home Environment of Older People: An Exploratory Study in the Irish Context](#)

[Unintended adverse consequences of introducing electronic health records in residential aged care homes](#)

[Unusual utilisation of mobile technology in medicine](#)

[Uptake and adherence of a self-directed internet-based mental health intervention with tailored e-mail reminders in senior high schools in Norway](#)

[Usage of a Generic Web-Based Self-Management Intervention for Breast Cancer Survivors: Substudy Analysis of the BREATH Trial](#)

[Use and long-term outcomes of implantable cardioverter-defibrillators, 1990 to 2009](#)

[Use of a Web-based Risk Appraisal Tool for Assessing Family History and Lifestyle Factors in Primary Care](#)

[Use of an Interactive Computer Agent to Support Breastfeeding](#)

[Use of Health IT for Higher-Value Critical Care](#)

[Use of mobile phone text messaging to deliver an individualized smoking behaviour intervention in Chinese adolescents](#)

[Use of Telemedicine to Improve Burn Care in Ukraine](#)

[Use of telemedicine to manage severe ischaemic strokes in a rural area with an elderly population](#)

[Using a mobile application to self-monitor diet and fluid intake among adults receiving hemodialysis](#)

[Using computer decision support systems in NHS emergency and urgent care: ethnographic study using normalisation process theory](#)



[Using Information Technology and Social Networking for Recruitment of Research Participants: Experience From an Exploratory Study of Pediatric Klinefelter Syndrome](#)

[Using Information Technology to Improve the Monitoring of Outpatient Prescribing](#)

[Using the computer in the clinical consultation; setting the stage, reviewing, recording, and taking actions: multi-channel video study](#)

[Using the patient engagement framework to develop an institutional mobile health strategy](#)

[Using Twitter for breast cancer prevention: an analysis of breast cancer awareness month](#)

[Utilization of home telemonitoring in patients 75 years of age and over with complex heart failure](#)

[Validity and reliability of the European Heart Failure Self-care Behavior Scale among adults from the United States with symptomatic heart failure](#)

[Variations in patterns of care activities for nursing home residents with heart failure](#)

[Video conferencing helps ease burden for Stollery patients](#)

[VIDEOCARE: Decentralised psychiatric emergency care through videoconferencing](#)

[Visual representation of statistical information improves diagnostic inferences in doctors and their patients](#)

[Voices of family members and significant others in the tele-intensive care unit](#)

[Volunteering reduces risk of hypertension in older adults](#)

[Waste and Harm in the Treatment of Mild Hypertension](#)

[Web 2.0 chronic disease self-management for older adults: a systematic review](#)

[Web versus App - compliance of patients in a telehealth diabetes management programme using two different technologies](#)

[Web-based guided self-help for employees with depressive symptoms \(Happy@Work\): design of a randomized controlled trial](#)

[Web-based self-management with and without coaching for type 2 diabetes patients in primary care: design of a randomized controlled trial](#)

[Web-scale pharmacovigilance: listening to signals from the crowdAssociation](#)

[Weight loss social support in 140 characters or less: use of an online social network in a remotely delivered weight loss intervention](#)

[Weight loss, exercise or both and cardiometabolic risk factors in obese older adults: results of a randomized controlled trial](#)

[Weight monitoring in patients with severe heart failure \(WISH\). A randomized controlled trial](#)

[Wellness by Number: How Cellphones Save Lives](#)

[What happens when patients know more than their doctors? Experiences of health interactions after diabetes patient education: a qualitative patient-led study -- Snow et al. 3 \(11\) -- BMJ Open](#)

[What is the potential for social networks and support to enhance future telehealth interventions for people with a diagnosis of schizophrenia? A critical interpretive synthesis](#)

[What It Will Take To Achieve The As-Yet-Unfulfilled Promises Of Health Information Technology](#)

[What matters to older people with assisted living needs? A phenomenological analysis of the use and non-use of telehealth and telecare](#)

[What patients' problems do nurses e-chart? Longitudinal study to evaluate the usability of an interface terminology](#)

[Who Participates in Chronic Disease Self-management \(CDSM\) Programs? Differences Between Participants and Nonparticipants in a Population of Multimorbid Older Adults](#)

[Whole home exercise intervention for depression in older care home residents \(the OPERA study\): a process evaluation](#)

[Why e-health is so hard](#)

[Will prescriptions for cultural change improve the NHS?](#)

[Your Rapid Diagnosis - Mental Health - Medical App Journal](#)

*Newsletter supplement prepared by Mike Clark (@clarkmike) and brought to you by the Telecare LIN on behalf of the Technology Strategy Board. Newsletters and supplements are archived at [www.telecarelin.org.uk](http://www.telecarelin.org.uk)*



**Disclaimer: “We provide this newsletter supplement for information purposes only and neither the Technology Strategy Board nor the authors accept any liability whatsoever for inaccuracies, errors or omissions therein or for any consequences arising therefrom.”**